Oxfendazole. Levamisole HCL Water Based Formulation

| Oxfendazole, Levamisole HCL water Based Formulation | | | | | |
|---|---------------------------|-----------------------------|-----------------------------------|----------------------------------|---|
| | Version 4.0 | Revision Date 24-05-2024 | Date of First Issue 26-05-2015 | Date of Last Issue 24-05-2024 | ~ |
| | Section 1: Identification | on | | | |
| | Product name: | Vetmed | l Combomax Oral | | |
| | Manufacturer Details | | | | |
| | Company: | Vetmed | Corporation Limited | | |
| | Address: | 16A Orr | niston Road, East Tamaki, | Auckland, New Zealand. | |
| | Telephone: | 09 274 | 8848 | | |
| | Emergency telephone nur | mber: 0800 76 | 54 766 (0800 POISON) | | |
| | Recommended use of the | e Product | | | |
| | Recommended use: | Veterin | ary Medicine | | |
| | | | | | |

Section 2: Hazard Identification

GHS Classification

Acute oral toxicity Category 4 Eye irritation Category 2 Skin sensitisation: Category 1 Germ cell mutagenicity: Category 2 Reproductive toxicity: Category 2 Specific target organ toxicity repeated exposure: Category 2 Hazardous to the aquatic environment chronic: Category 2 Hazardous to terrestrial vertebrates

GHS label elements

Hazard pictograms:

Signal Word:

Hazard statements:



H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation H341 Suspected of causing genetic defects. H361 Suspected of damaging fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure H411 Toxic to aquatic life with long-lasting effects H433 Harmful to terrestrial vertebrates.

Precautionary statements:

Prevention: P102 Keep out of reach of children.

Oxfendazole, Levamisole HCL Water Based Formulation

| Version 4.0 | Revision Date 24-05-2024 | Date of First Issue 26-05-2015 | Date of Last Issue 24-05-2024 | \checkmark |
|-----------------|---|---|--|--|
| 4.0 | | ead label before use. | 24 03 2024 | |
| | | btain special instructions b | efore use. | |
| | | o not handle until all safety | | ad and |
| | unders | | | |
| | P260 D | o not breathe dust/fume/g | as/mist/vapours/spray | |
| | P261 A | void breathing dust/fume/g | gas/mist/vapours/spray. | |
| | P264 W | ash hands thoroughly after | r handling. | |
| | P270 D | o not eat, drink or smoke w | hen using this product. | |
| | P272 C workpl | ontaminated work clothing ace. | should not be allowed our | : of the |
| | P273 A | void release to the environ | ment. | |
| | P280 W | /ear protective gloves/prot | ective clothing/eye protec | tion/face |
| | protect | ion. | | |
| | P281 U | se personal protective equi | pment as required. | |
| | P301 IF feel un P302 IF P308 IF P308 IF P312 C P314 G P321 S P322 S P330 R P333 If P362 Ta | medical advice is needed, H SWALLOWED: P312 Call a well. ON SKIN: P352 Wash with exposed or concerned: P33 exposed or concerned: P33 all a POISON CENTER or doo et medical advice/attention pecific measures in section pecific measures in section inse mouth. skin irritation or rash occur ake off contaminated clothi | POISON CENTER or doctor plenty of water 11 Call a POISON CENTRE/ 13 Get medical advice/atte ctor/physician if you feel u n if you feel unwell. 4. 4. 5: P313 Get medical advice ing: P364 wash it before re | /physician if you Doctor ention. nwell. e/attention. |
| | | /ash contaminated clothing ollect spillage. | | |
| | Storag P405 St | e: ore locked up. | | |
| | Dispos P501 D | al: ispose of contents/ contain | er to an approved waste c | isposal plant. |
| Other hazards w | hich do not result in classif | ication | | |

VETMED

None known.

Oxfendazole, Levamisole HCL Water Based Formulation

| Vei | rsion | Revision Date | Date of First Issue | Date of Last Issue |
|-----|-------|---------------|---------------------|--------------------|
| 4.0 | | 24-05-2024 | 26-05-2015 | 24-05-2024 |

VETMED

Section 3: Compositon/information on ingredients

Substance / Mixture:

Mixture

Components

| Chemical name | CAS number | Concentration (% w/v) |
|-----------------|------------|-----------------------|
| Levamisole HCL | 16595-80-5 | 8.0 |
| Oxfendazole | 53716-50-0 | 4.53 |
| Cobalt EDTA | 15137-09-4 | <10 |
| Sodium selenate | 13410-01-0 | <1 |
| Citric acid | 77-92-9 | <10 |

Section 4: First-aid measures

| General advice: | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical |
|-----------------------------|---|
| | advice. |
| If inhaled: | If inhaled, remove to fresh air. |
| | Get medical attention if symptoms occur. |
| In case of skin contact: | In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur. |
| In case of eye contact: | Flush eyes with water as a precaution. |
| | Get medical attention if irritation develops and persists. |
| If swallowed: | If swallowed, DO NOT induce vomiting. Rinse mouth. |
| | Get medical attention if symptoms occur. |
| | Rinse mouth thoroughly with water. |
| Most important symptoms | Causes damage to organs through prolonged or repeated |
| and effects, both acute and | exposure. |
| delayed: | |
| Protection of first-aiders: | First Aid responders should pay attention to self-protection, |
| | and use the recommended personal protective equipment |
| | when the potential for exposure exists (see section 8). |
| Notes to physician: | Treat symptomatically and supportively. |
| | |

Section 5: Fire-fighting measures

| Suitable extinguishing media: | Water spray |
|---------------------------------------|---|
| | Alcohol-resistant foam |
| | Carbon dioxide (CO ₂) |
| | Dry chemical |
| Unsuitable extinguishing media: | None known. |
| Specific hazards during firefighting: | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products: | Nitrogen oxides (NOx) |
| | Carbon oxides |
| Specific extinguishing methods: | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |

Oxfendazole, Levamisole HCL Water Based Formulation

| Version | Revision Date | Date of First Issue | Date of Last Issue | • |
|---------------------------------------|------------------------------|--|--|---|
| 4.0 | 24-05-2024 | 26-05-2015 | 24-05-2024 | |
| Special protectiv for firefighters | Remo re equipment: In the | vater spray to cool unopened ove undamaged containers fro e event of fire, wear self-conta personal protective equipmen | om fire area if it is safe to ained breathing apparatus | |

VETMED

Section 6: Accidental release measures

| Personal precautions, protective equipment and emergency procedures: Environmental precautions: | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. |
|--|--|
| Methods and materials for containment and cleaning up: | Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

Section 7: Handling and storage

| Technical measures: Local/Total ventilation: Advice on safe handling: | See Engineering measures under section 8. Use only with adequate ventilation. Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. |
|---|---|
| Hygiene measures: | Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Oxfendazole, Levamisole HCL Water Based Formulation

| Version 4.0 | Revision Date 24-05-2024 | Date of First Issue 26-05-2015 | Date of Last Issue 24-05-2024 | ~ |
|-----------------------------|------------------------------|--|------------------------------------|---|
| Conditions for safe storage | , i i i | perly labelled containe ordance with the partic | rs. cular national regulations. | |
| Materials to avoid: | Do not store Strong oxidi | e with the following pro zing agents | oduct types: | |

VETMED

Section 8: Exposure controls/personal protection

Components with workplace control parameters

No WES is set for this substance at this time.

| Engineering measures: | Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Personal protective equipment |
|---------------------------|---|
| Respiratory protection: | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type: | Organic vapour type |
| Hand protection Material: | Chemical-resistant gloves |
| Eye protection: | Wear safety glasses with side shields or goggles. |
| | If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. |
| | Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection: | Work uniform or laboratory coat. |

Section 9: Physical and chemical properties

| Appearance: | Aqueous suspension |
|---------------------|--------------------|
| Colour: | Pale purple liquid |
| Specific gravity: | 1.05 – 1.07 |
| Behaviour in water: | Miscible in water |

Oxfendazole, Levamisole HCL Water Based Formulation

| 4.0 24-05-2024 26-05-2015 24-05-2024 | Version | Revision Date | Date of First Issue | Date of Last Issue | |
|--------------------------------------|---------|---------------|---------------------|--------------------|--|
| | 4.0 | 24-05-2024 | 26-05-2015 | 24-05-2024 | |

Section 10: Stability and reactivity

| Reactivity: | Not classified as a reactivity hazard. |
|-------------------------------------|--|
| Chemical stability: | Stable under normal conditions. |
| Possibility of hazardous reactions: | Can react with strong oxidizing agents. |
| Conditions to avoid: | None known. |
| Incompatible materials: | Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

Section 11: Toxicological information

Inhalation: Cobalt EDTA: Respiratory effects seen at 2.4mg/m³ in female Guinea-pigs Ingestion: Harmful if swallowed Levamisole: LD50 200mg/kg/bw Sodium selenate: LD50 25mg/kg/bw Citric acid: LD50 5000mg/kg/bw Skin: Citric acid – Irritating

Chronic Effects

Levamisole: Mutagenic effects. Oxfendazole: NOAEL 20mg/kg/bw/day for reproductive effects Cobalt: Causes respiratory tract irritation, may cause asthma and shortness of breath. Sodium selenate: NOAEL 0.37mg/kg/bw/day for Hepatotoxicity/Alimentary system effects.

Section 12: Ecological information

| Aquatic: | Oxfendazole: 48hr LC50 0.52mg/L (Daphnia magna) Sodium selenate: 96hr LC50 0.69mg/L (Fathead minnow) |
|--------------------------|---|
| Terrestrial Vertebrates: | Levamisole: LD50 200mg/kg/bw |

Section 13: Disposal considerations

| Disposal methods | |
|-----------------------------|--|
| Waste from residues: | Dispose of in accordance with local regulations. |
| Contaminated packaging: | Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| If not otherwise specified: | Dispose of as unused product. |

Section 14: Transport information

Dangerous Goods for transport. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxfendazole)

| DG Class: | 9 |
|------------|------|
| UN Number: | 3082 |

Oxfendazole, Levamisole HCL Water Based Formulation

Version 4.0 Revision Date 24-05-2024

Date of First Issue 26-05-2015



VETMED

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR100758

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.